ELSEVIER

Analytica Chimica Acta 416 (2000) 239–241

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Al-Tamimi, S.A., see Aly, F.A. 87
Alwarthan, A.A., see Aly, F.A. 87
Aly, F.A.
—, Al-Tamimi, S.A. and Alwarthan, A.A.
Determination of flufenamic acid and mefenamic acid in pharmaceutical preparations and biological fluids using flow injection analysis with tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence detection 87
Araújo, M.C.U., see Honorato, R.S. 231
Ariese, F., see de Beer, T. 151

Baeyens, W.R.G., see Rao, Y. 227
Bakker, E.
— and Meyerhoff, M.E.
Ionophore-based membrane electrodes: new analytical concepts and non-classical response mechanisms 121
Barciela Alonso, M.C.
— and Prego, R.
Determination of silicate, simultaneously with other nutrients (nitrite, nitrate and phosphate), in river waters by capillary electrophoresis 21

Cardwell, T.J.
— and Christophersen, M.J.
Determination of sulfur dioxide and ascorbic acid in beverages using a dual channel flow injection electrochemical detection system 105
Cardwell, T.J., see Wang, L. 177
Carneiro, J.M.T.
—, Sartini, R.P. and Zagatto, E.A.G.
Spectrophotometric determination of total nitrogen in plant materials using a flow-injection system with an $AgCl_{(s)}$ reactor 185
Cattrall, R.W., see Wang, L. 177
Chatrathi, M.P., see Wang, J. 9
Chen, W., see Ma, W.X. 191
Chen, W.-J., see Wang, S.-P. 157
Chimuka, L.
—, Mathiasson, L. and Jönsson, J.
Role of octanol–water partition coefficients in extraction of ionisable organic compounds in a supported liquid membrane with a stagnant acceptor 77

Chiou, C.-S.
— and Shih, J.-S.
Fullerene C_{60}-cryptand chromatographic stationary phase for separations of anions/cations and organic molecules 169
Christophersen, M.J., see Cardwell, T.J. 105
Chudy, M., see Wróblewski, W. 97
Ci, Y.X., see Li, H.N. 221

de Beer, T.
—, Ph. Hoornweg, G., Ariese, F., Velthorst, N.H., Th. Brinkman, U.A. and Gooijer, C.
On the potential of forward-scattering degenerate four-wave mixing detection in capillary electrophoresis 151
Dybko, A., see Wróblewski, W. 97

Etxebarria, N., see Zuloaga, O. 43

Fang, Y., see Hu, Q. 15
Fernández, L.A., see Zuloaga, O. 43

González, E.B., see Méndez, S.P. 1
Gooijer, C., see de Beer, T. 151

Heyden, Y.V., see Toasaksiri, S. 29
Hong, W., see Liu, D. 139
Honorato, R.S.
—, Zagatto, E.A.G., Lima, R.A.C. and Araújo, M.C.U.
Prior assay as an approach to flow titrations. Spectrophotometric determination of iron in alloys and ores 231
Horiki, A., see Watanabe, M. 117
Hu, Q.
—, Zhang, L., Zhou, T. and Fang, Y.
Determination of daunorubicin in human urine by capillary zone electrophoresis with amperometric detection 15

Iwata, T.
—, Mitoma, H. and Yamaguchi, M.
Fluorescence derivatization of amino acids with 4-(5′,6′-dimethoxybenzothiazolyl)phenylisothiocyanate in liquid chromatography 69

PII: S0003-2670(00)01004-7

Jinhui, X.
— and Lee, F.S.C.
Quantification of nitrated polynuclear aromatic hydrocarbons in atmospheric particulate matter 111
Jönsson, J., see Chimuka, L. 77

Katsuta, S.
—, Yamada, H., Kudo, Y. and Takeda, Y.
Ion-pair formation in water and extraction into benzene of 18-crown-6–sodium ion complex with nitrated phenolate ions 145
Kolev, S.D., see Wang, L. 177
Kramer, J.R., see Smith, D.S. 211
Kudo, Y., see Katsuta, S. 145

Lee, F.S.C., see Jinhui, X. 111
Li, H.N.
— and Ci, Y.X.
Electrochemical method for analyzing intracellular redox activity changes of the etoposide-induced apoptosis in HL-60 cells 221
Li, K.A., see Ma, W.X. 191
Lima, R.A.C., see Honorato, R.S. 231
Liu, D.
—, Liu, J., Tian, D., Hong, W., Zhou, X. and Yu, J.C.
Polymeric membrane silver-ion selective electrodes based on bis(dialkyldithiophosphates) 139
Liu, F., see Ma, W.X. 191
Liu, J., see Liu, D. 139
Luo, G., see Rao, Y. 227
Luque de Castro, M.D., see Wang, L. 177

Ma, W.X.
—, Liu, F., Li, K.A., Chen, W. and Tong, S.Y.
Preconcentration, separation and determination of trace Hg(II) in environmental samples with aminopropylbenzoylazo-2-mercaptobenzothiazole bonded to silica gel 191
Madariaga, J.M., see Zuloaga, O. 43
Massart, D.L., see Toasaksiri, S. 29
Mathiasson, L., see Chimuka, L. 77
Matsumoto, K., see Tsukatani, T. 197
Meloun, M.
— and Pluhařová, M.
Thermodynamic dissociation constants of codeine, ethylmorphine and homatropine by regression analysis of potentiometric titration data 55
Méndez, S.P.
—, González, E.B. and Sanz-Medel, A.
Enantiomeric separation of selenoaminoacid derivatives by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium dodecyl sulphate and taurodeoxycholic acid 1
Meyerhoff, M.E., see Bakker, E. 121
Mitoma, H., see Iwata, T. 69

Ph. Hoornweg, G., see de Beer, T. 151
Pluhařová, M., see Meloun, M. 55
Prego, R., see Barciela Alonso, M.C. 21

Rangel, A.O.S.S.
— and Tóth, I.V.
Enzymatic determination of ethanol and glycerol by flow injection parallel multi-site detection 205
Rao, Y.
—, Tong, Y., Zhang, X., Luo, G. and Baeyens, W.R.G.
Determination of ofloxacin using a chemiluminescence flow-injection method 227

Sanz-Medel, A., see Méndez, S.P. 1
Sartini, R.P., see Carneiro, J.M.T. 185
Shih, J.-S., see Chiou, C.-S. 169
Smith, D.S.
— and Kramer, J.R.
Multisite metal binding to fulvic acid determined using multi-response fluorescence 211

Takeda, Y., see Katsuta, S. 145
Th. Brinkman, U.A., see de Beer, T. 151
Tian, B., see Wang, J. 9
Tian, D., see Liu, D. 139
Toasaksiri, S.
—, Massart, D.L. and Heyden, Y.V.
Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs 29
Tong, S.Y., see Ma, W.X. 191
Tong, Y., see Rao, Y. 227
Tóth, I.V., see Rangel, A.O.S.S. 205
Tsukatani, T.
— and Matsumoto, K.
Flow-injection fluorometric quantification of succinate in foodstuffs based on the use of an immobilized enzyme reactor 197

Uchida, T., see Watanabe, M. 117

Velthorst, N.H., see de Beer, T. 151

Wang, J.
—, Chatrathi, M.P. and Tian, B.
Capillary electrophoresis microchips with thick-film amperometric detectors: separation and detection of phenolic compounds 9
Wang, L.
—, Cardwell, T.J., Cattrall, R.W., Luque de Castro, M.D. and Kolev, S.D.
Pervaporation-flow injection determination of ammonia in the presence of surfactants 177
Wang, S.-P.
— and Chen, W.-J.
Determination of *p*-aminobenzoates and cinnamate in cosmetic matrix by supercritical fluid extraction and micellar electrokinetic capillary chromatography 157
Watanabe, M.
—, Horiki, A. and Uchida, T.
Contamination-free decomposition of zirconium oxide for the determination of ultra-trace silicon by inductively coupled plasma-atomic emission spectrometry 117

Wróblewski, W.
—, Chudy, M. and Dybko, A.
Nitrate-selective chemically modified field effect transistors for flow-cell applications 97

Yamada, H., see Katsuta, S. 145
Yamaguchi, M., see Iwata, T. 69
Yu, J.C., see Liu, D. 139

Zagatto, E.A.G., see Carneiro, J.M.T. 185
Zagatto, E.A.G., see Honorato, R.S. 231
Zhang, L., see Hu, Q. 15
Zhang, X., see Rao, Y. 227
Zhou, T., see Hu, Q. 15
Zhou, X., see Liu, D. 139
Zuloaga, O.
—, Etxebarria, N., Fernández, L.A. and Madariaga, J.M.
MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples 43